




## **LEGEND**







TOP MOUNT POST

Œ CENTERLINE

F.F. FINISHED FLOOR

TYP TYPICAL CONDITION; APPLIES ELSEWHERE AT SIMILAR LOCATIONS

## NOTES:

TOP RAIL NOT SHOWN FOR CLARITY.

 $\mathcal{C}$ 

AGS

GLACIER TM36R

SPECIFICATION DRAWING


TOP MOUNT - ROUND TOP

36"

GLACIER



AGS



TYPICAL INTERMEDIATE POST

**ELEVATION** 

SCALE: NONE

TYPICAL END POST

**ELEVATION** 

SCALE: NONE

## NOTES:

1. DECK STRUCTURE CAN VARY GREATLY. IT IS THE RESPONSIBILITY OF THE CUSTOMER TO VERIFY THAT THE SUPPORTING STRUCTURE IS ADEQUATE TO MEET THE LOAD REQUIREMENTS OF THE GOVERNING BUILDING CODE(S). AGS Stainless Inc. RECOMMENDS CONSULTING A DESIGN OR CONSTRUCTION PROFESSIONAL TO ADDRESS THESE ISSUES.

RAILING SECTION

SCALE: NONE

2. TOP RAIL CONNECTIONS ARE BONDED WITH HIGH-STRENGTH ADHESIVE TO ACHIEVE A HAIRLINE FIT UP.

INBRIDGE ISLAND, WA 98110
PHONE - (888) 842-9492
FAX - (208) 842-8179

GLACIER TM36R

SPECIFICATION DRAWING

GLACIER

 $\mathcal{C}$ 


2

AGS

ROUND

TOP MOUNT -







OUTSIDE CORNER POST LAYOUT - 90°

INSIDE CORNER POST LAYOUT - 90° В SCALE: NONE

POST &





OUTSIDE CORNER POST LAYOUT - 45°

INSIDE CORNER POST LAYOUT - 45° D



NOTE:

THE LAYOUTS SHOWN MAY VARY AS THE ANGLE CHANGES. MAKE SURE YOU CHOOSE A POST LAYOUT SO THAT TWO CLOSEST POINTS OF THE ADJACENT POSTS IS LESS THAN 4".

 $^{\circ}$ 

 $\mathcal{C}$ 

